

 **MARUTI SUZUKI** ARENA



SINCE 1961

ALL-NEW
CELERIO



Showrooms **Annasalai | OMR | Tiruvallur | Uthukottai**

For Bookings Contact **Khivraj Maruti 9500030040**

FOR STYLE THAT NEVER STOPS.


The excitement of the city is endless... The next thrill could be just a turn away! And with its 3D Organic Sculpted Design, its peppy Next Gen K-series engine, and other dynamic features, the All-New Celerio is ready to be your perfect partner in style through it all!



3D ORGANIC SCULPTED DESIGN



URBANE BLACK 15" (38.02cm) ALLOY WHEELS



DOOR REQUEST SWITCH WITH SMART KEY



RADIANT GRILLE WITH SHARP CHROME ACCENTS



DROPLET-STYLED TAIL LAMPS



ELECTRICALLY-FOLDABLE ORVMs
WITH TURN INDICATORS

SPACE FOR ALL YOUR STYLE.

Step inside the All-New Celerio, and you step into a sleek world filled with the best of technology and comfort. Featuring a new age Smartplay Infotainment System and Engine Push Start-Stop technology, these modern and trendy interiors are designed so you never run out of space for your style.



CONTEMPORARY DASHBOARD



**ENGINE PUSH
START-STOP BUTTON**



**STEERING-MOUNTED
AUDIO CONTROLS**



17.78cm SMARTPLAY STUDIO WITH SMARTPHONE NAVIGATION



ENERGETIC & SPACIOUS CABIN



AMPLE LUGGAGE SPACE WITH 60:40 SPLIT REAR SEATS

SPIRITED AND ENERGISED.

The Next Gen K10C Engine is the perfect reflection of your spirit, providing a lively and invigorated drive while ensuring India's best fuel-efficiency so you can drive your style anywhere you want. Also available with S-CNG technology, the all-new Celerio brings you a safer, high-performing engine that gives you a dynamic driving experience and greater savings.



INDIA'S MOST FUEL-EFFICIENT PETROL CAR** **26.68*** km/l



BS6 compliant

ALSO AVAILABLE IN:

S-CNG
DRIVE SMART. CHOOSE GREEN.

**NEXT GEN K-SERIES DUAL JET, DUAL VVT ENGINE
WITH IDLE START-STOP TECHNOLOGY**




AUTO GEAR SHIFT

**AUTO
GEAR SHIFT**



DUAL AIRBAGS




**1st
IN SEGMENT**

HILL HOLD ASSIST

UNCOMPROMISED SAFETY.

12+ safety features in the All-New Celerio ensure that nothing comes in the way of your safety or your style.




HEARTECT PLATFORM

Showrooms **Annasalai | OMR | Tiruvallur | Uthukottai**

For Bookings Contact **Khivraj Maruti 9500030040**

FEATURE LIST							
Variants	LXi MT	VXi MT/CNG	ZXi MT	ZXi+ MT	VXi AGS	ZXi AGS	ZXi+AGS
EXTERIORS							
ORVM with Turn Indicators	X	X	✓	✓	X	✓	✓
Front Fog Lamps	X	X	X	✓	X	X	✓
Body-Coloured Bumper	✓	✓	✓	✓	✓	✓	✓
Body-Coloured ORVMs	X	✓	✓	✓	✓	✓	✓
Body-Coloured Outside Door Handles	X	✓	✓	✓	✓	✓	✓
Chrome accent on front grille	✓	✓	✓	✓	✓	✓	✓
B Pillar Black Out Tape	X	X	X	✓	X	X	✓
Full Wheel Covers	X (Center cap)	✓	✓	X	✓	✓	X
15" (38.02cm) Alloy Wheels	X	X	X	✓	X	X	✓
INTERIORS							
Co-Dr Vanity Mirror in Sun Visor	X	✓	✓	✓	✓	✓	✓
Dr. Side Sunvisor with ticket holder	✓	✓	✓	✓	✓	✓	✓
Day Night IRVM	X	✓	✓	✓	✓	✓	✓
Bottle Holder	6	6	6	6	6	6	6
Driver Seat Height Adjuster	X	X	X	✓	X	X	✓
Front Seat Back Pockets (Passenger Side)	✓	✓	✓	✓	✓	✓	✓
Rear Seat (60:40 split)	X	✓	✓	✓	✓	✓	✓
Front and Rear Headrest	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated	Integrated
Rear Parcel Shelf	X	✓	✓	✓	✓	✓	✓
COMFORT AND CONVENIENCE							
Air Conditioner (Manual)	✓	✓	✓	✓	✓	✓	✓
Pollen Filter	✓	✓	✓	✓	✓	✓	✓
Engine Push Start/Stop with Smart Key	X	X	X	✓	X	X	✓
Smartplay Studio System with Smartphone Navigation and Voice Command (Android Auto and Apple CarPlay enabled)	X	X	X	✓	X	X	✓
Smart Play Dock - USB, FM, AUX, BT	X	X	✓	X	X	✓	X
No. of Speakers	X	X	4	4	X	4	4
Remote Keyless Entry	X	X	✓	✓	X	✓	✓
Security System	X	X	✓	✓	X	✓	✓
Central Door Lock (5 Doors)	X	✓	✓	✓	✓	✓	✓
Power Windows	X	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr	Fr/Rr
Power Windows - Auto Down (Driver Side)	X	✓	✓	✓	✓	✓	✓
Outside Mirrors Type	Flap Type	Electrically Adjustable	Electrically Adjustable	Electrically Adjustable	Electrically Adjustable	Electrically Adjustable	Electrically Adjustable
Electrically-Foldable ORVM	X	X	X	✓	X	X	✓
Steering-Mounted Audio Controls	X	X	✓	✓	X	✓	✓
Steering-Mounted Voice Control	X	X	X	✓	X	X	✓
Power-Steering	✓	✓	✓	✓	✓	✓	✓
CENTRAL CONSOLE & INSTRUMENT PANEL							
Illumination Colour	Amber	Amber	Amber	Amber	Amber	Amber	Amber
Tachometer	X	X	✓	✓	✓	✓	✓
Urethane Steering Wheel	✓	✓	✓	✓	✓	✓	✓
Tilt Steering	X	X	✓	✓	X	✓	✓
Accessory Socket	✓	✓	✓	✓	✓	✓	✓
Dial-Type Climate Control	Black	Silver Painted	Silver Painted	Silver Painted	Silver Painted	Silver Painted	Silver Painted
Fuel Consumption (Instantaneous and avg.)	✓	✓	✓	✓	✓	✓	✓
Distance to Empty	✓	✓	✓	✓	✓	✓	✓
Gear Position Indicator	X	X	X	X	✓	✓	✓
Gear Shift Indicator	✓	✓	✓	✓	X	X	X
Door Ajar Warning Lamp	✓	✓	✓	✓	✓	✓	✓
Headlamp Warning	✓	✓	✓	✓	✓	✓	✓
Low Fuel Warning	✓	✓	✓	✓	✓	✓	✓
Key off / Headlamp on Reminder	✓	✓	✓	✓	✓	✓	✓
SAFETY AND SECURITY							
Driver Airbag	✓	✓	✓	✓	✓	✓	✓
Passenger Airbags	✓	✓	✓	✓	✓	✓	✓
Seat Belt Reminder (Driver + Passenger)	✓	✓	✓	✓	✓	✓	✓
Speed-Sensitive Auto Door Lock	X	✓	✓	✓	✓	✓	✓

Drive with a mileage of:



*As certified by test agency under rule 115(G) of CMVR 1989.

All variants LXi, VXi, ZXi & ZXi+ are BS VI compliant.
MT: Manual Transmission, AGS: Auto Gear Shift

Maruti Suzuki India Limited reserves the right to change, without notice, price, colours, equipment specifications, and models and also to discontinue models and/or replace any part or accessory with any product. Accessory and feature shown in the pictures may not be a part of standard equipment and will differ according to the variant. Image used are for illustration purposes only. *The speed alert system gives audible warning for alert of over-speed to driver. When vehicle speed exceeds about 80 km/h, primary level warning with two beeps will sound every minute. When the vehicle speed exceeds about 120 km/h, secondary level warning with continuous beeps will sound. If the vehicle speed is slowed down to about 118 km/h, primary warning will resume. If the vehicle is slowed down to about 78 km/h, speed alert warning will stop. This buzzer does not indicate any malfunction in vehicle. ** Spare wheel material is steel (for all variants) and tyre size is 165/70 R14. ***VDA Method

*Claim supported by independent research agency-JATO Dynamics Limited and is applicable in the petrol category.

*ABS is a device that assists the driver during braking. It does not eliminate the need to drive safely, for example by slowing down when approaching a corner.

Showrooms **Annasalai | OMR | Tiruvallur | Uthukottai**

FEATURE LIST							
Variants	LXi MT	VXi MT/CNG	ZXi MT	ZXi+ MT	VXi AGS	ZXi AGS	ZXi+AGS
Impact-Sensing Auto Door Unlock	X	✓	✓	✓	✓	✓	✓
Pedestrian Protection	✓	✓	✓	✓	✓	✓	✓
ABS	✓	✓	✓	✓	✓	✓	✓
Front Seat Belts Pre-tensioner and Force Limiter	✓	✓	✓	✓	✓	✓	✓
Headlight Leveling	✓	✓	✓	✓	✓	✓	✓
Rear Window Wiper & Washer	X	X	✓	✓	X	✓	✓
Front Ventilated Disc	✓	✓	✓	✓	✓	✓	✓
Immobilizer	✓	✓	✓	✓	✓	✓	✓
Child-Proof Rear Door Locks	✓	✓	✓	✓	✓	✓	✓
Rear Defogger	X	X	✓	✓	X	✓	✓
Speed Alert System*	✓	✓	✓	✓	✓	✓	✓
Reverse Parking Assist Sensors	✓	✓	✓	✓	✓	✓	✓
NEW TECHNOLOGY							
Engine Idle Start Stop	✓	✓ (Petrol)	✓	✓	✓	✓	✓
Hill Hold Assist	X	X	X	X	✓	✓	✓

SPECIFICATION SHEET		PETROL		CNG
Variants		LXi, VXi, VXi AGS, ZXi, ZXi AGS, ZXi+, ZXi+ AGS		VXi
DIMENSIONS (in mm)				
Overall Length		3695		
Overall Width		1655		
Overall Height		1555		
Wheelbase		2435		
Tread	Front	1430(R14),1440(R15)		
	Rear	1440(R14),1450(R15)		
ENGINE				
Type		K10C	K10C CNG	
Capacity		998 cc		
Engine Type		Aluminium		
Number of Cylinders		3		
Number of Valves in Each Cylinder		4		
Maximum Output (kW@rpm)		49@5500	CNG Mode: 41.7@5300 Gasoline Mode: 48@5500	
Maximum Torque (Nm@rpm)		89@3500	CNG Mode: 82.1@3400 Gasoline Mode: 89@3500	
Emission Standard Type		BS6		
Accelerator Pedal Type		Electric type		
TRANSMISSION				
Type		5MT/ Auto Gear Shift	5MT	
SUSPENSION SYSTEM				
Front		Mac Pherson Strut with Coil Spring		
Rear		Torsion Beam with Coil Spring		
WEIGHT (kg)				
Kerb Weight		800 kg (LXi MT); 810 kg (VXi MT/ ZXi MT); 815 kg (VXi AGS); 820 kg (ZXi+ MT/ ZXi AGS); 825 kg (ZXi+ AGS)	905 kg (VXi MT)	
Gross Vehicle Weight		1260	1320	
CAPACITY				
Seating Capacity		5		
Luggage Capacity (L)		313**	-	
Fuel Tank Capacity (L)		32	Petrol: 32 CNG: 60 (Water Equivalent)	
POWER STEERING				
Type		Electric Power Steering		
TYRES				
Tyre Size**		ZXi+ -175/60 R 15, LXi,VXi,ZXi - 165/70 R 14		
BRAKES				
Front		Disc		
Rear		Drum		

Fr-Front, Rr-Rear, Dr-Driver, MT-Manual Transmission, AGS-Auto Gear Shift

COLOUR SPECIFICATIONS



Showrooms **Annasalai | OMR | Tiruvallur | Uthukottai** For Bookings Contact **Khivraj Maruti 9500030040**



For Bookings Contact **Khivraj Maruti 9500030040**

Annasalai | OMR | Tiruvallur | Uthukottai

Visit Us at www.khivrajmotors.com

Maruti Suzuki India Limited, reserves the right to change without notice, prices, colours, equipments specifications, variants and also to discontinue models. Accessories and features shown in the pictures may not be part of standard equipment, and will differ according to the variant. For variant-specific features, refer to the equipment list. Colours shown may vary from actual body colours due to printing on paper. Images used are for illustration purposes.

MARUTI SUZUKI INDIA LTD., Plot No. 1, Nelson Mandela Road, Vasant Kunj, New Delhi 110070, Tel.011-46781000.